

CSCI 420 Computer Graphics
Lecture 26

Visualization

Height Fields and Contours
Scalar Fields
Volume Rendering
Vector Fields
[Angel Ch. 11]

Jernej Barbic
University of Southern California

Scientific Visualization

- Generally do not start with a 3D triangle model
- Must deal with very large data sets
 - MRI, e.g. $512 \times 512 \times 200 = 50\text{MB}$ points
 - Visible Human $512 \times 512 \times 1734 = 433\text{ MB}$ points
- Visualize both real-world and simulation data
- User interaction
- Automatic search for relevant data


Types of Data

- Scalar fields (3D volume of scalars)
 - E.g., x-ray densities (MRI, CT scan)
- Vector fields (3D volume of vectors)
 - E.g., velocities in a wind tunnel
- Tensor fields (3D volume of tensors [matrices])
 - E.g., stresses in a mechanical part
- Static or dynamic through time

Height Field


- Visualizing an explicit function

$$z = f(x,y)$$



- Adding contour curves

$$g(x,y) = c$$



Visualizing the Height Field: Meshes


- Function is sampled (given) at $x_i, y_i, 0 \leq i, j \leq n$
- Assume equally spaced

$$x_i = x_0 + i\Delta x$$

$$y_j = y_0 + j\Delta y$$

$$z_{ij} = f(x_i, y_j)$$


- Generate quadrilateral or triangular mesh
- **[Assignment 1]**




Marching Squares Examples

- Ovals of Cassini, 50 x 50 grid

$$f(x, y) = (x^2 + y^2 + a^2)^2 - 4a^2x^2 - b^4$$
$$a = 0.49, b = 0.5$$




Midpoint



Interpolation

Contour plot of Honolulu data



Visualizing the Height Field: Contour Curves

- Recall: implicit curve $f(x,y) = 0$
- $f(x,y) < 0$ inside, $f(x,y) > 0$ outside
- Here: contour curve at $f(x,y) = c$
- Implicit function f sampled at regular intervals for x,y


$$x_i = x_0 + i\Delta x$$

$$y_j = y_0 + j\Delta y$$

- How can we draw the curve?


Marching Squares

- Sample function f at every grid point x_i, y_j
- For every point $f_{ij} = f(x_i, y_j)$ either $f_{ij} \leq c$ or $f_{ij} > c$
- Distinguish those cases for each corner x
 - White: $f_{ij} \leq c$
 - Black: $f_{ij} > c$
- Now consider cases for curve
- Assume “smooth”




Cases for Vertex Labels


16 cases for vertex labels



4 unique cases
modulo symmetries





Ambiguities of Labelings



Ambiguous labels

Different resulting contours




Resolution by subdivision
(if such higher resolution
available / possible)

Interpolating Intersections

- Approximate intersection
 - Midpoint between x_i, x_{i+1} and y_j, y_{j+1}
 - Better: interpolate
- If $f_{i,j} = a$ is closer to c than $b = f_{i+1,j}$ then intersection is closer to (x_i, y_j) :

$$\frac{x - x_i}{x_{i+1} - x_i} = \frac{c - a}{b - a}$$

- Analogous calculation for y direction



Outline

- Height Fields and Contours
- **Scalar Fields**
- Volume Rendering
- Vector Fields

Scalar Fields


- Volumetric data sets
- Example: tissue density
- Assume again regularly sampled

$$x_i = x_0 + i\Delta x$$

$$y_j = y_0 + j\Delta y$$

$$z_k = z_0 + k\Delta z$$

- Represent as **voxels**




Isosurfaces

- $f(x,y,z)$ represents volumetric data set
- Two rendering methods
 - Isosurface rendering
 - Direct volume rendering (use all values [next])
- **Isosurface** given by $f(x,y,z) = c$
- Recall implicit surface $g(x, y, z)$:
 - $g(x, y, z) < 0$ inside
 - $g(x, y, z) = 0$ surface
 - $g(x, y, z) > 0$ outside
- Generalize right-hand side from 0 to c


Marching Cubes

- Display technique for isosurfaces
- 3D version of marching squares
- 14 cube labelings (after elimination of symmetries)




Marching Cube Tessellations

- Generalize marching squares, just more cases
- Interpolate as in 2D
- Ambiguities similar to 2D




Volume Rendering

- Sometimes isosurfaces are unnatural or do not give sufficient information
- Use all voxels and transparency (α -values)



Ray-traced isosurface



Volume rendering

Surface vs. Volume Rendering


- 3D model of surfaces
- Convert to triangles
- Draw primitives
- Lose or disguise data
- Good for opaque objects
- Scalar field in 3D
- Convert it to RGBA values
- Render volume “directly”
- See data as given
- Good for complex objects

Sample Applications

- Medical
 - Computed Tomography (CT)
 - Magnetic Resonance Imaging (MRI)
 - Ultrasound
- Engineering and Science
 - Computational Fluid Dynamic (CFD)
 - Aerodynamic simulations
 - Meteorology
 - Astrophysics



Volume Rendering Pipeline

- Transfer function: converts input data set to colors and opacities
 - Example input: $256 \times 256 \times 256 \times 8$ bytes = 128 MB
 - Convert to 24 bit color, 8 bit opacity




Transfer Functions

- Transform scalar data values to RGBA values
- Apply to every voxel in volume
- Highly application dependent
- Start from data **histogram**
- Opacity for emphasis



Transfer Function Example

Mantle Heat Convection



ACL



Scientific Computing and Imaging (SCI)
University of Utah

Volume Ray Casting

- Three volume rendering techniques
 - Volume ray casting
 - Splatting
 - 3D texture mapping
- Ray Casting
 - Integrate color through volume
 - Consider lighting (surfaces?)
 - Use regular x,y,z data grid when possible
 - Finite elements when necessary (e.g., ultrasound)
 - 3D-rasterize geometrical primitives


Accumulating Opacity

- $\alpha = 1.0$ is opaque
- Composite multiple layers according to opacity
- Use local gradient of opacity for enhanced display of boundaries



Volume Rendering Example


Rendering 3d tooth volume data




Source:
Nvidia

Trilinear Interpolation

- Interpolate to compute RGBA away from grid
- Nearest neighbor yields blocky images
- Use **trilinear interpolation**
- 3D generalization of bilinear interpolation





Nearest
neighbor



Trilinear
interpolation



Splatting

- Alternative to ray tracing
- Assign shape to each voxel (e.g., Gaussian)
- Project onto image plane (**splat**)
- Draw voxels back-to-front
- Composite (α -blend)



3D Textures


- Alternative to ray tracing, splatting
- Build a 3D texture (including opacity)
- Draw a stack of polygons, back-to-front
- Efficient if supported in graphics hardware
- Few polygons, much texture memory



3D RGBA texture

Draw back to front

Example: 3D Textures




Emil Praun' 01

Other Techniques

- Use CSG for cut-aways

Human
torso



Source:
Wikipedia

Acceleration of Volume Rendering

- Basic problem: Huge data sets
- Must program for locality (cache)
- Divide into multiple blocks if necessary
 - Example: marching cubes
- Use error measures to stop iteration
- Exploit parallelism

Outline

- Height Fields and Contours
- Scalar Fields
- Volume Rendering
- **Vector Fields**


Vector Fields

- Visualize vector at each (x,y,z) point
 - Example: velocity field
 - Example: hair
- **Hedgehogs**
 - Use 3D directed line segments (sample field)
 - Orientation and magnitude determined by vector
- Animation
 - Use for still image
 - Particle systems

Blood flow in
human carotid artery





Using Glyphs and Streaklines




Glyphs for air flow
University of Utah


Glyph = marker (for example,
an arrow) used for data visualization



More Flow Examples



Banks and Interrante



Summary

- Height Fields and Contours
- Scalar Fields
 - Isosurfaces
 - Marching cubes
- Volume Rendering
 - Volume ray tracing
 - Splatting
 - 3D Textures
- Vector Fields
 - Hedgehogs
 - Animated and interactive visualization